CYBERSECURITY ASSESSMENT REPORT

Comprehensive Threat Simulation & Vulnerability Analysis

Performed by IRIS - Intrusion Risk Identification System

Client Organization: SITNI
Target Environment: 78.141.34.159
Assessment Date: August 18, 2025
Report Generated: November 28, 2026 at 12:28 PM
Assessment Type: Standard APT Simulation
Scan ID: 49

CONFIDENTIAL SECURITY ASSESSMENT

This document contains sensitive security information about the assessed environment. It should be treated as confidential and distributed only to authorised personnel.

EXECUTIVE SUMMARY

This report presents the results of a comprehensive cybersecurity assessment performed on 78.141.34.159 for SITNI. The assessment utilised advanced penetration testing methodologies and tools to identify potential security vulnerabilities.

Key Findings Summary

Metric	Count	Risk Level
Hosts Discovered	1	Info
Open Ports Found	4	Low-Medium
Services Identified	4	Info
Network Vulnerabilities	0	High
SMB Vulnerabilities	0	Critical
Web Vulnerabilities	2	Medium-High
Weak Credentials Found	0	Critical

OVERALL RISK LEVEL: MINIMAL

DETAILED TECHNICAL FINDINGS

Network Discovery Results

Masscan discovered 1 responsive host(s)
Host 78.141.34.159: 4 open ports - 443/tcp, 1194/tcp, 1723/tcp, 8000/tcp

Service Enumeration Results

Host: 78.141.34.159 - OS: FreeBSD 11.2-RELEASE
Open ports found: 4
Port 443/tcp: ssl/https service
Port 1194/tcp: openvpn service
Port 1723/tcp: pptp service
Port 8000/tcp: ipcam service

Network Vulnerabilities Detected

No critical network vulnerabilities detected

Web Application Analysis

Web services discovered: 2
Web service: 78.141.34.159:8000
Web service: 78.141.34.159:443

SMB/NetBIOS Analysis Results

Credential Security Assessment

SECURITY RECOMMENDATIONS

1. [LOW] Maintain security posture

Category: General Security
Continue regular security assessments and monitoring. Implement security best practices.